



第23表一図 受療動向図(外来)



【参考帳票】第19-2表



(3) 疾病分類別受療動向

I 感染症及び寄生虫症

疾病分類	区分	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
感染症及び寄生虫症	流出率	12.4%	13.5%	28.6%	22.2%	11.7%	20.3%	11.5%	19.0%	5.8%	7.2%
	流入率	21.0%	14.6%	34.8%	39.7%	15.9%	5.6%	6.9%	16.4%	10.4%	6.4%

第25表 患者流出率(感染症及び寄生虫症)

受療地 住所地	流出率	総数	住所地									
			前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
前橋	12.4%	100.0%	87.6%	5.8%	3.5%	0.0%	0.0%	0.0%	0.2%	1.9%	0.6%	0.4%
高崎・安中	13.5%	100.0%	5.4%	86.5%	2.1%	2.2%	2.6%	0.0%	0.0%	1.1%	0.0%	0.0%
渋川	28.6%	100.0%	24.5%	0.7%	71.4%	0.0%	0.0%	0.0%	1.4%	2.0%	0.0%	0.0%
藤岡	22.2%	100.0%	1.1%	14.4%	0.0%	77.8%	4.4%	0.0%	0.0%	2.2%	0.0%	0.0%
富岡	11.7%	100.0%	0.8%	9.2%	0.0%	1.7%	88.3%	0.0%	0.0%	0.0%	0.0%	0.0%
吾妻	20.3%	100.0%	6.3%	4.7%	3.1%	0.0%	0.0%	79.7%	4.7%	0.0%	1.6%	0.0%
沼田	11.5%	100.0%	2.5%	0.8%	6.6%	0.8%	0.0%	0.8%	88.5%	0.0%	0.0%	0.0%
伊勢崎	19.0%	100.0%	6.7%	4.9%	3.9%	1.4%	0.0%	0.0%	0.0%	81.0%	1.8%	0.4%
桐生	5.8%	100.0%	0.8%	0.4%	0.4%	0.0%	0.0%	0.0%	0.0%	1.2%	94.2%	3.1%
太田・館林	7.2%	100.0%	1.1%	0.0%	0.4%	0.0%	0.0%	0.0%	0.0%	2.8%	3.0%	92.8%

第26表 患者流入率(感染症及び寄生虫症)

受療地 住所地	流入率	総数	住所地									
			前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
流入率			21.0%	14.6%	34.8%	39.7%	15.9%	5.6%	6.9%	16.4%	10.4%	6.4%
総数			100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
前橋			79.0%	4.4%	10.6%	0.0%	0.0%	0.0%	0.9%	3.3%	1.1%	0.4%
高崎・安中			6.3%	85.4%	8.1%	12.1%	12.7%	0.0%	0.0%	2.5%	0.0%	0.0%
渋川			6.7%	0.2%	65.2%	0.0%	0.0%	0.0%	1.7%	1.1%	0.0%	0.0%
藤岡			0.2%	2.1%	0.0%	60.3%	3.2%	0.0%	0.0%	0.7%	0.0%	0.0%
富岡			0.2%	1.7%	0.0%	1.7%	84.1%	0.0%	0.0%	0.0%	0.0%	0.0%
吾妻			0.7%	0.5%	1.2%	0.0%	0.0%	94.4%	2.6%	0.0%	0.4%	0.0%
沼田			0.6%	0.2%	5.0%	0.9%	0.0%	1.9%	93.1%	0.0%	0.0%	0.0%
伊勢崎			3.5%	2.2%	6.8%	3.4%	0.0%	0.0%	0.0%	83.6%	1.9%	0.2%
桐生			0.4%	0.2%	0.6%	0.0%	0.0%	0.0%	0.0%	1.1%	89.6%	1.7%
太田・館林			0.9%	0.0%	1.2%	0.0%	0.0%	0.0%	0.0%	4.7%	5.2%	93.6%
県外			1.5%	3.0%	1.2%	21.6%	0.0%	3.7%	1.7%	2.2%	1.9%	4.1%
不詳			0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.7%	0.0%	0.0%

Ⅱ 新生物

疾病分類	区分	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
新生物	流出率	11.9%	39.3%	48.3%	29.0%	25.8%	46.0%	32.2%	30.9%	26.8%	11.4%
	流入率	52.3%	18.6%	48.9%	55.9%	36.2%	1.0%	6.3%	29.0%	9.5%	31.9%

第27表 患者流出率(新生物)

受療地 住所地	流出率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			前橋	11.9%	100.0%	88.1%	4.3%	3.1%	0.0%	0.0%	0.0%	0.1%
高崎・安中	39.3%	100.0%	24.1%	60.7%	3.7%	4.5%	5.9%	0.0%	0.1%	0.6%	0.0%	0.4%
渋川	48.3%	100.0%	38.4%	6.7%	51.7%	0.0%	0.0%	0.0%	0.9%	0.3%	0.0%	2.0%
藤岡	29.0%	100.0%	15.4%	8.4%	1.9%	71.0%	1.9%	0.0%	0.0%	0.5%	0.0%	0.9%
富岡	25.8%	100.0%	7.3%	11.2%	2.2%	4.5%	74.2%	0.0%	0.0%	0.0%	0.0%	0.6%
吾妻	46.0%	100.0%	20.3%	1.6%	20.3%	0.0%	0.0%	54.0%	3.2%	0.5%	0.0%	0.0%
沼田	32.2%	100.0%	20.1%	1.4%	9.5%	0.4%	0.0%	0.4%	67.8%	0.4%	0.0%	0.0%
伊勢崎	30.9%	100.0%	16.1%	2.9%	1.2%	1.2%	0.0%	0.0%	0.0%	69.1%	0.7%	8.9%
桐生	26.8%	100.0%	13.1%	1.1%	0.6%	0.2%	0.0%	0.0%	0.0%	3.0%	73.2%	8.8%
太田・館林	11.4%	100.0%	4.9%	0.3%	0.2%	0.1%	0.1%	0.0%	0.0%	3.7%	2.1%	88.6%

第28表 患者流入率(新生物)

受療地 住所地	流入率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			流入率			52.3%	18.6%	48.9%	55.9%	36.2%	1.0%	6.3%
総数			100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
前橋			47.7%	4.6%	7.8%	0.0%	0.0%	0.0%	0.5%	5.8%	0.7%	0.3%
高崎・安中			16.3%	81.4%	11.8%	14.2%	31.4%	0.0%	0.5%	1.2%	0.0%	0.3%
渋川			8.1%	2.8%	51.1%	0.0%	0.0%	0.0%	1.5%	0.2%	0.0%	0.6%
藤岡			2.0%	2.2%	1.1%	44.1%	1.9%	0.0%	0.0%	0.2%	0.0%	0.2%
富岡			0.8%	2.4%	1.1%	2.3%	63.8%	0.0%	0.0%	0.0%	0.0%	0.1%
吾妻			2.3%	0.4%	10.9%	0.0%	0.0%	99.0%	2.9%	0.2%	0.0%	0.0%
沼田			3.5%	0.5%	7.8%	0.3%	0.0%	1.0%	93.7%	0.2%	0.0%	0.0%
伊勢崎			5.8%	2.1%	2.0%	2.0%	0.0%	0.0%	0.0%	71.0%	0.9%	4.4%
桐生			4.3%	0.7%	0.9%	0.3%	0.0%	0.0%	0.0%	2.8%	90.5%	4.0%
太田・館林			2.7%	0.4%	0.6%	0.3%	0.5%	0.0%	0.0%	5.8%	4.4%	68.1%
県外			6.1%	2.4%	4.9%	36.5%	1.4%	0.0%	0.5%	12.5%	3.5%	21.8%
不詳			0.3%	0.1%	0.0%	0.0%	1.0%	0.0%	0.5%	0.2%	0.0%	0.2%

Ⅲ 血液及び造血器の疾患並びに免疫機構の障害

疾病分類	区分	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
血液及び造血器の疾患並びに免疫機構の障害	流出率	15.2%	37.6%	28.0%	36.4%	17.6%	40.0%	14.3%	28.4%	11.1%	9.4%
	流入率	42.5%	20.0%	33.3%	53.3%	33.3%	40.0%	7.7%	26.4%	14.3%	10.5%

第29表 患者流出率(血液及び造血器の疾患並びに免疫機構の障害)

受療地 住所地	流出率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			前橋	15.2%	100.0%	84.8%	5.1%	2.0%	0.0%	0.0%	0.0%	0.0%
高崎・安中	37.6%	100.0%	24.8%	62.4%	0.9%	5.5%	4.6%	0.0%	0.0%	0.9%	0.9%	0.0%
渋川	28.0%	100.0%	20.0%	4.0%	72.0%	0.0%	0.0%	0.0%	4.0%	0.0%	0.0%	0.0%
藤岡	36.4%	100.0%	0.0%	31.8%	0.0%	63.6%	4.5%	0.0%	0.0%	0.0%	0.0%	0.0%
富岡	17.6%	100.0%	5.9%	0.0%	5.9%	5.9%	82.4%	0.0%	0.0%	0.0%	0.0%	0.0%
吾妻	40.0%	100.0%	0.0%	0.0%	40.0%	0.0%	0.0%	60.0%	0.0%	0.0%	0.0%	0.0%
沼田	14.3%	100.0%	3.6%	0.0%	7.1%	0.0%	0.0%	3.6%	85.7%	0.0%	0.0%	0.0%
伊勢崎	28.4%	100.0%	18.9%	4.1%	1.4%	0.0%	0.0%	0.0%	0.0%	71.6%	1.4%	2.7%
桐生	11.1%	100.0%	7.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3.7%	88.9%	0.0%
太田・館林	9.4%	100.0%	2.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3.5%	3.5%	90.6%

第30表 患者流入率(血液及び造血器の疾患並びに免疫機構の障害)

受療地 住所地	流入率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			流入率			42.5%	20.0%	33.3%	53.3%	33.3%	40.0%	7.7%
総数			100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
前橋			57.5%	5.9%	7.4%	0.0%	0.0%	0.0%	0.0%	11.1%	0.0%	0.0%
高崎・安中			18.5%	80.0%	3.7%	20.0%	23.8%	0.0%	0.0%	1.4%	1.8%	0.0%
渋川			3.4%	1.2%	66.7%	0.0%	0.0%	0.0%	3.8%	0.0%	0.0%	0.0%
藤岡			0.0%	8.2%	0.0%	46.7%	4.8%	0.0%	0.0%	0.0%	0.0%	0.0%
富岡			0.7%	0.0%	3.7%	3.3%	66.7%	0.0%	0.0%	0.0%	0.0%	0.0%
吾妻			0.0%	0.0%	7.4%	0.0%	0.0%	60.0%	0.0%	0.0%	0.0%	0.0%
沼田			0.7%	0.0%	7.4%	0.0%	0.0%	20.0%	92.3%	0.0%	0.0%	0.0%
伊勢崎			9.6%	3.5%	3.7%	0.0%	0.0%	0.0%	0.0%	73.6%	1.8%	2.3%
桐生			2.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.8%	85.7%	0.0%
太田・館林			1.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	4.2%	5.4%	89.5%
県外			4.8%	1.2%	0.0%	30.0%	4.8%	20.0%	3.8%	5.6%	5.4%	8.1%
不詳			0.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.4%	0.0%	0.0%

IV 内分泌、栄養及び代謝疾患

疾病分類	区分	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
内分泌、栄養及び代謝疾患	流出率	10.4%	11.3%	26.9%	13.2%	6.7%	17.1%	3.7%	13.2%	6.2%	4.9%
	流入率	20.7%	12.6%	14.2%	35.4%	16.8%	13.2%	4.0%	10.5%	8.7%	9.1%

第31表 患者流出率(内分泌、栄養及び代謝疾患)

受療地 住所地	流出率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			前橋	10.4%	100.0%	89.6%	5.1%	1.2%	0.2%	0.1%	0.0%	0.2%
高崎・安中	11.3%	100.0%	5.1%	88.7%	0.4%	2.5%	2.6%	0.1%	0.0%	0.2%	0.3%	0.1%
渋川	26.9%	100.0%	16.9%	7.9%	73.1%	0.0%	0.0%	1.5%	0.5%	0.0%	0.0%	0.0%
藤岡	13.2%	100.0%	1.3%	9.4%	0.4%	86.8%	0.9%	0.0%	0.0%	1.3%	0.0%	0.0%
富岡	6.7%	100.0%	1.6%	4.3%	0.4%	0.4%	93.3%	0.0%	0.0%	0.0%	0.0%	0.0%
吾妻	17.1%	100.0%	2.5%	1.9%	8.9%	0.0%	0.0%	82.9%	3.2%	0.6%	0.0%	0.0%
沼田	3.7%	100.0%	2.0%	0.6%	1.1%	0.0%	0.0%	0.0%	96.3%	0.0%	0.0%	0.0%
伊勢崎	13.2%	100.0%	4.0%	4.5%	0.1%	0.7%	0.0%	0.0%	0.1%	86.8%	1.5%	2.2%
桐生	6.2%	100.0%	1.7%	0.4%	0.3%	0.0%	0.0%	0.0%	0.0%	1.3%	93.8%	2.5%
太田・館林	4.9%	100.0%	1.3%	0.2%	0.1%	0.0%	0.0%	0.1%	0.1%	1.6%	1.5%	95.1%

第32表 患者流入率(内分泌、栄養及び代謝疾患)

受療地 住所地	流入率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			流入率			20.7%	12.6%	14.2%	35.4%	16.8%	13.2%	4.0%
総数			100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
前橋			79.3%	3.5%	3.6%	0.6%	0.4%	0.0%	0.6%	2.8%	1.8%	0.1%
高崎・安中			6.6%	87.4%	1.8%	11.4%	13.3%	0.7%	0.0%	0.4%	0.6%	0.2%
渋川			5.8%	2.1%	85.8%	0.0%	0.0%	4.0%	0.6%	0.0%	0.0%	0.0%
藤岡			0.3%	1.5%	0.3%	64.6%	0.7%	0.0%	0.0%	0.4%	0.0%	0.0%
富岡			0.4%	0.7%	0.3%	0.3%	83.2%	0.0%	0.0%	0.0%	0.0%	0.0%
吾妻			0.4%	0.2%	4.2%	0.0%	0.0%	86.8%	1.4%	0.1%	0.0%	0.0%
沼田			0.6%	0.1%	1.2%	0.0%	0.0%	0.0%	96.0%	0.0%	0.0%	0.0%
伊勢崎			2.8%	2.4%	0.3%	1.9%	0.0%	0.0%	0.3%	89.5%	1.7%	1.6%
桐生			1.1%	0.2%	0.6%	0.0%	0.0%	0.0%	0.0%	1.2%	91.3%	1.6%
太田・館林			1.2%	0.1%	0.3%	0.0%	0.0%	0.7%	0.3%	2.2%	2.2%	90.9%
県外			1.2%	1.7%	1.5%	20.9%	2.5%	7.9%	0.9%	3.5%	2.5%	5.4%
不詳			0.4%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%

V 精神及び行動の障害

疾病分類	区分	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
精神及び行動の障害	流出率	31.5%	35.2%	27.7%	70.0%	22.2%	45.3%	71.0%	25.7%	29.8%	23.9%
	流入率	37.2%	30.7%	67.7%	39.9%	33.9%	28.2%	7.8%	41.8%	15.4%	17.7%

第33表 患者流出率(精神及び行動の障害)

受療地 住所地	流出率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			前橋	31.5%	100.0%	68.5%	9.1%	12.5%	0.1%	0.4%	0.3%	0.1%
高崎・安中	35.2%	100.0%	9.8%	64.8%	12.1%	1.4%	7.0%	0.4%	0.0%	4.1%	0.1%	0.3%
渋川	27.7%	100.0%	12.2%	8.8%	72.3%	0.0%	0.2%	4.1%	0.7%	1.1%	0.4%	0.4%
藤岡	70.0%	100.0%	12.1%	31.9%	8.1%	30.0%	10.7%	0.3%	0.0%	5.5%	0.0%	1.3%
富岡	22.2%	100.0%	3.7%	10.0%	1.7%	0.7%	77.8%	0.7%	0.0%	5.4%	0.0%	0.0%
吾妻	45.3%	100.0%	6.2%	6.6%	31.1%	0.0%	0.0%	54.7%	0.3%	1.0%	0.0%	0.0%
沼田	71.0%	100.0%	8.2%	6.4%	50.0%	0.0%	0.3%	4.6%	29.0%	1.2%	0.3%	0.0%
伊勢崎	25.7%	100.0%	13.0%	4.4%	3.7%	0.2%	0.5%	0.2%	0.0%	74.3%	1.2%	2.4%
桐生	29.8%	100.0%	10.3%	1.5%	1.0%	0.0%	0.1%	0.0%	0.0%	9.0%	70.2%	7.8%
太田・館林	23.9%	100.0%	2.8%	1.1%	2.0%	0.1%	0.0%	0.1%	0.0%	14.5%	3.5%	76.1%

第34表 患者流入率(精神及び行動の障害)

受療地 住所地	流入率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			流入率			37.2%	30.7%	67.7%	39.9%	33.9%	28.2%	7.8%
総数			100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
前橋			62.8%	8.2%	15.1%	1.3%	1.1%	1.8%	1.0%	9.6%	1.6%	0.7%
高崎・安中			10.6%	69.3%	17.2%	16.3%	23.4%	3.2%	0.0%	5.9%	0.4%	0.6%
渋川			4.1%	3.0%	32.3%	0.0%	0.2%	10.5%	3.9%	0.5%	0.4%	0.2%
藤岡			2.2%	5.8%	2.0%	60.1%	6.1%	0.5%	0.0%	1.3%	0.0%	0.4%
富岡			1.0%	2.7%	0.6%	2.0%	66.1%	1.4%	0.0%	2.0%	0.0%	0.0%
吾妻			1.1%	1.1%	7.1%	0.0%	0.0%	71.8%	1.0%	0.2%	0.0%	0.0%
沼田			1.6%	1.2%	12.9%	0.0%	0.2%	6.8%	92.2%	0.3%	0.2%	0.0%
伊勢崎			7.7%	2.6%	2.9%	1.3%	0.9%	0.9%	0.0%	58.2%	2.2%	2.3%
桐生			4.1%	0.6%	0.6%	0.0%	0.2%	0.0%	0.0%	4.7%	84.6%	5.0%
太田・館林			1.9%	0.7%	1.7%	0.7%	0.0%	0.5%	0.0%	12.8%	7.1%	82.3%
県外			2.6%	4.6%	7.3%	18.3%	1.7%	2.7%	1.9%	4.3%	3.6%	8.4%
不詳			0.2%	0.1%	0.2%	0.0%	0.2%	0.0%	0.0%	0.2%	0.0%	0.1%

VI 神経系の疾患

疾病分類	区分	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
神経系の疾患	流出率	21.4%	24.2%	32.7%	26.5%	18.3%	42.9%	24.3%	25.3%	17.8%	18.6%
	流入率	33.5%	24.3%	51.4%	35.2%	27.6%	17.9%	9.2%	30.7%	28.1%	13.1%

第35表 患者流出率(神経系の疾患)

受療地 住所地	流出率	総数	住所地									
			前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
前橋	21.4%	100.0%	78.6%	9.2%	5.3%	0.7%	0.0%	0.4%	0.0%	3.2%	2.3%	0.4%
高崎・安中	24.2%	100.0%	8.8%	75.8%	3.8%	3.8%	6.8%	0.1%	0.1%	0.9%	0.0%	0.0%
渋川	32.7%	100.0%	20.8%	7.5%	67.3%	0.4%	0.4%	0.9%	1.3%	1.3%	0.0%	0.0%
藤岡	26.5%	100.0%	2.6%	14.2%	5.8%	73.5%	2.6%	0.0%	0.0%	0.6%	0.0%	0.6%
富岡	18.3%	100.0%	2.3%	11.0%	3.2%	1.4%	81.7%	0.0%	0.0%	0.0%	0.5%	0.0%
吾妻	42.9%	100.0%	12.5%	8.9%	17.0%	0.0%	0.0%	57.1%	3.6%	0.0%	0.9%	0.0%
沼田	24.3%	100.0%	1.8%	3.6%	16.0%	0.0%	0.0%	0.6%	75.7%	1.2%	0.6%	0.6%
伊勢崎	25.3%	100.0%	9.6%	6.8%	3.1%	0.6%	0.0%	0.0%	0.0%	74.7%	3.1%	2.2%
桐生	17.8%	100.0%	4.7%	1.7%	1.7%	0.0%	0.0%	0.0%	0.0%	6.4%	82.2%	3.2%
太田・館林	18.6%	100.0%	2.2%	0.8%	0.4%	0.0%	0.2%	0.0%	0.0%	6.5%	8.5%	81.4%

第36表 患者流入率(神経系の疾患)

受療地 住所地	流入率	総数	住所地									
			前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
流入率			33.5%	24.3%	51.4%	35.2%	27.6%	17.9%	9.2%	30.7%	28.1%	13.1%
総数			100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
前橋			66.5%	6.5%	9.6%	2.3%	0.0%	2.6%	0.0%	5.2%	3.3%	0.4%
高崎・安中			10.5%	75.8%	9.6%	17.0%	22.0%	1.3%	0.7%	2.0%	0.0%	0.0%
渋川			7.0%	2.1%	48.6%	0.6%	0.4%	2.6%	2.1%	0.9%	0.0%	0.0%
藤岡			0.6%	2.8%	2.9%	64.8%	1.6%	0.0%	0.0%	0.3%	0.0%	0.2%
富岡			0.7%	3.0%	2.2%	1.7%	72.4%	0.0%	0.0%	0.0%	0.3%	0.0%
吾妻			2.1%	1.3%	6.1%	0.0%	0.0%	82.1%	2.8%	0.0%	0.3%	0.0%
沼田			0.4%	0.8%	8.6%	0.0%	0.0%	1.3%	90.8%	0.6%	0.3%	0.2%
伊勢崎			4.6%	2.8%	3.2%	1.1%	0.0%	0.0%	0.0%	69.3%	2.6%	1.5%
桐生			2.4%	0.8%	1.9%	0.0%	0.0%	0.0%	0.0%	6.3%	71.9%	2.3%
太田・館林			1.6%	0.5%	0.6%	0.0%	0.4%	0.0%	0.0%	9.5%	11.0%	86.9%
県外			3.1%	3.9%	6.4%	12.5%	3.3%	10.3%	3.5%	6.0%	10.2%	8.5%
不詳			0.3%	0.0%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%

Ⅶ 眼及び付属器の疾患

疾病分類	区分	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
眼及び付属器の疾患	流出率	9.0%	13.1%	19.0%	36.4%	16.8%	38.4%	6.6%	12.7%	24.2%	6.3%
	流入率	24.6%	15.2%	18.3%	34.8%	17.8%	1.9%	1.5%	16.3%	9.7%	8.5%

第37表 患者流出率(眼及び付属器の疾患)

受療地 住所地	流出率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			前橋	9.0%	100.0%	91.0%	3.9%	1.2%	0.0%	0.1%	0.0%	0.1%
高崎・安中	13.1%	100.0%	6.3%	86.9%	0.1%	2.0%	2.8%	0.0%	0.1%	1.7%	0.1%	0.0%
渋川	19.0%	100.0%	11.2%	7.3%	81.0%	0.0%	0.0%	0.4%	0.0%	0.0%	0.0%	0.0%
藤岡	36.4%	100.0%	5.1%	24.6%	1.7%	63.6%	0.8%	0.0%	0.0%	4.2%	0.0%	0.0%
富岡	16.8%	100.0%	6.5%	9.0%	0.0%	1.3%	83.2%	0.0%	0.0%	0.0%	0.0%	0.0%
吾妻	38.4%	100.0%	9.3%	7.0%	19.8%	0.0%	0.0%	61.6%	2.3%	0.0%	0.0%	0.0%
沼田	6.6%	100.0%	2.6%	2.2%	1.8%	0.0%	0.0%	0.0%	93.4%	0.0%	0.0%	0.0%
伊勢崎	12.7%	100.0%	7.0%	2.1%	0.0%	0.4%	0.0%	0.0%	0.0%	87.3%	0.4%	2.8%
桐生	24.2%	100.0%	10.8%	0.7%	0.4%	0.0%	0.0%	0.0%	0.0%	2.6%	75.8%	9.7%
太田・館林	6.3%	100.0%	2.5%	0.1%	0.2%	0.0%	0.0%	0.0%	0.0%	2.2%	1.2%	93.7%

第38表 患者流入率(眼及び付属器の疾患)

受療地 住所地	流入率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			流入率			24.6%	15.2%	18.3%	34.8%	17.8%	1.9%	1.5%
総数			100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
前橋			75.4%	3.3%	4.3%	0.0%	0.6%	0.0%	0.4%	5.1%	0.9%	0.4%
高崎・安中			6.0%	84.8%	0.4%	16.5%	16.6%	0.0%	0.4%	3.3%	0.4%	0.0%
渋川			2.6%	1.8%	81.7%	0.0%	0.0%	1.9%	0.0%	0.0%	0.0%	0.0%
藤岡			0.6%	3.0%	0.9%	65.2%	0.6%	0.0%	0.0%	1.0%	0.0%	0.0%
富岡			1.0%	1.5%	0.0%	1.7%	82.2%	0.0%	0.0%	0.0%	0.0%	0.0%
吾妻			0.8%	0.6%	7.4%	0.0%	0.0%	98.1%	0.8%	0.0%	0.0%	0.0%
沼田			0.7%	0.6%	2.2%	0.0%	0.0%	0.0%	98.5%	0.0%	0.0%	0.0%
伊勢崎			3.3%	1.0%	0.0%	1.7%	0.0%	0.0%	0.0%	83.7%	0.9%	1.6%
桐生			2.9%	0.2%	0.4%	0.0%	0.0%	0.0%	0.0%	1.4%	90.3%	3.1%
太田・館林			2.0%	0.1%	0.9%	0.0%	0.0%	0.0%	0.0%	3.7%	4.4%	91.5%
県外			4.3%	2.9%	1.3%	13.9%	0.0%	0.0%	0.0%	1.8%	3.1%	3.4%
不詳			0.2%	0.1%	0.4%	0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Ⅷ 耳及び乳様突起の疾患

疾病分類	区分	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
耳及び乳様突起の疾患	流出率	9.9%	17.3%	30.8%	37.9%	2.9%	43.6%	9.3%	7.8%	8.4%	7.8%
	流入率	27.7%	12.4%	21.3%	35.7%	19.0%	4.3%	4.9%	16.7%	5.7%	5.6%

第39表 患者流出率(耳及び乳様突起の疾患)

受療地 住所地	流出率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			前橋	9.9%	100.0%	90.1%	5.7%	0.4%	0.0%	0.0%	0.0%	0.0%
高崎・安中	17.3%	100.0%	9.8%	82.7%	1.0%	1.3%	2.9%	0.0%	0.0%	2.3%	0.0%	0.0%
渋川	30.8%	100.0%	29.7%	0.0%	69.2%	0.0%	0.0%	0.0%	0.0%	1.1%	0.0%	0.0%
藤岡	37.9%	100.0%	1.7%	13.8%	0.0%	62.1%	8.6%	0.0%	0.0%	13.8%	0.0%	0.0%
富岡	2.9%	100.0%	1.4%	1.4%	0.0%	0.0%	97.1%	0.0%	0.0%	0.0%	0.0%	0.0%
吾妻	43.6%	100.0%	7.7%	0.0%	33.3%	0.0%	0.0%	56.4%	2.6%	0.0%	0.0%	0.0%
沼田	9.3%	100.0%	9.3%	0.0%	0.0%	0.0%	0.0%	0.0%	90.7%	0.0%	0.0%	0.0%
伊勢崎	7.8%	100.0%	1.6%	4.1%	0.0%	0.4%	0.4%	0.0%	0.0%	92.2%	0.4%	0.8%
桐生	8.4%	100.0%	5.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.2%	91.6%	0.6%
太田・館林	7.8%	100.0%	0.8%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	3.5%	3.1%	92.2%

第40表 患者流入率(耳及び乳様突起の疾患)

受療地 住所地	流入率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			流入率			27.7%	12.4%	21.3%	35.7%	19.0%	4.3%	4.9%
総数			100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
前橋			72.3%	5.2%	1.3%	0.0%	0.0%	0.0%	0.0%	3.3%	0.6%	0.0%
高崎・安中			9.1%	87.6%	3.8%	7.1%	10.7%	0.0%	0.0%	2.6%	0.0%	0.0%
渋川			8.2%	0.0%	78.8%	0.0%	0.0%	0.0%	0.0%	0.4%	0.0%	0.0%
藤岡			0.3%	2.8%	0.0%	64.3%	6.0%	0.0%	0.0%	3.0%	0.0%	0.0%
富岡			0.3%	0.3%	0.0%	0.0%	81.0%	0.0%	0.0%	0.0%	0.0%	0.0%
吾妻			0.9%	0.0%	16.3%	0.0%	0.0%	95.7%	2.4%	0.0%	0.0%	0.0%
沼田			1.2%	0.0%	0.0%	0.0%	0.0%	0.0%	95.1%	0.0%	0.0%	0.0%
伊勢崎			1.2%	3.4%	0.0%	1.8%	1.2%	0.0%	0.0%	83.3%	0.6%	0.8%
桐生			3.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.5%	94.3%	0.4%
太田・館林			0.6%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	3.3%	4.6%	94.4%
県外			2.4%	0.0%	0.0%	26.8%	1.2%	4.3%	2.4%	2.6%	0.0%	4.4%
不詳			0.3%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Ⅸ 循環器系の疾患

疾病分類	区分	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
循環器系の疾患	流出率	13.2%	10.3%	25.5%	13.8%	9.4%	18.0%	5.4%	13.0%	10.4%	7.2%
	流入率	21.8%	15.1%	18.2%	25.3%	11.4%	18.0%	7.3%	16.5%	7.9%	11.5%

第41表 患者流出率(循環器系の疾患)

受療地 住所地	流出率	総数	前橋 高崎・安中 渋川 藤岡 富岡 吾妻 沼田 伊勢崎 桐生 太田・館林									
			前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
前橋	13.2%	100.0%	86.8%	6.7%	2.3%	0.0%	0.1%	0.4%	0.1%	2.6%	0.8%	0.1%
高崎・安中	10.3%	100.0%	4.7%	89.7%	0.8%	2.0%	1.8%	0.3%	0.0%	0.7%	0.0%	0.0%
渋川	25.5%	100.0%	13.5%	7.3%	74.5%	0.0%	0.0%	2.1%	2.1%	0.2%	0.1%	0.2%
藤岡	13.8%	100.0%	1.5%	10.1%	0.4%	86.2%	0.8%	0.0%	0.0%	0.7%	0.1%	0.1%
富岡	9.4%	100.0%	1.9%	6.9%	0.0%	0.4%	90.6%	0.0%	0.0%	0.0%	0.1%	0.0%
吾妻	18.0%	100.0%	2.6%	1.8%	7.3%	0.0%	0.0%	82.0%	6.1%	0.2%	0.0%	0.0%
沼田	5.4%	100.0%	1.0%	0.4%	1.0%	0.0%	0.0%	2.9%	94.6%	0.0%	0.1%	0.0%
伊勢崎	13.0%	100.0%	5.5%	3.7%	0.1%	0.2%	0.0%	0.2%	0.0%	87.0%	0.8%	2.6%
桐生	10.4%	100.0%	5.1%	0.4%	0.2%	0.0%	0.0%	0.0%	0.0%	2.3%	89.6%	2.4%
太田・館林	7.2%	100.0%	2.1%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	3.4%	1.5%	92.8%

第42表 患者流入率(循環器系の疾患)

受療地 住所地	流入率	総数	前橋 高崎・安中 渋川 藤岡 富岡 吾妻 沼田 伊勢崎 桐生 太田・館林									
			前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
流入率			21.8%	15.1%	18.2%	25.3%	11.4%	18.0%	7.3%	16.5%	7.9%	11.5%
総数			100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
前橋			78.2%	5.1%	6.8%	0.1%	0.4%	1.9%	0.2%	3.7%	1.3%	0.1%
高崎・安中			5.3%	84.9%	3.0%	8.3%	9.0%	1.5%	0.1%	1.3%	0.0%	0.0%
渋川			4.5%	2.0%	81.8%	0.0%	0.0%	3.6%	2.0%	0.1%	0.1%	0.1%
藤岡			0.4%	2.0%	0.3%	74.7%	0.9%	0.0%	0.0%	0.2%	0.1%	0.0%
富岡			0.4%	1.2%	0.0%	0.4%	88.6%	0.0%	0.0%	0.0%	0.1%	0.0%
吾妻			0.5%	0.3%	4.8%	0.0%	0.0%	82.0%	3.4%	0.0%	0.0%	0.0%
沼田			0.4%	0.1%	1.2%	0.0%	0.0%	5.2%	92.7%	0.0%	0.1%	0.0%
伊勢崎			3.4%	1.9%	0.2%	0.4%	0.0%	0.5%	0.0%	83.5%	0.8%	1.6%
桐生			3.1%	0.2%	0.3%	0.0%	0.0%	0.0%	0.0%	2.2%	92.1%	1.4%
太田・館林			2.0%	0.1%	0.4%	0.0%	0.0%	0.0%	0.0%	5.0%	2.4%	88.5%
県外			1.8%	1.9%	1.3%	16.2%	1.1%	5.2%	1.6%	3.8%	3.2%	8.1%
不詳			0.1%	0.3%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%	0.2%

X 呼吸器系の疾患

疾病分類	区分	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
呼吸器系の疾患	流出率	9.2%	11.4%	20.1%	15.0%	5.3%	25.6%	3.7%	9.0%	5.6%	5.0%
	流入率	18.4%	9.8%	12.6%	26.4%	13.9%	7.9%	6.9%	11.9%	9.4%	6.2%

第43表 患者流出率(呼吸器系の疾患)

受療地 住所地	流出率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			前橋	9.2%	100.0%	90.8%	4.5%	1.1%	0.0%	0.0%	0.1%	0.1%
高崎・安中	11.4%	100.0%	4.7%	88.6%	0.9%	2.2%	2.1%	0.0%	0.1%	1.3%	0.1%	0.1%
渋川	20.1%	100.0%	15.0%	3.5%	79.9%	0.0%	0.1%	0.5%	0.7%	0.2%	0.0%	0.1%
藤岡	15.0%	100.0%	1.4%	9.1%	0.7%	85.0%	0.7%	0.0%	0.0%	3.0%	0.2%	0.0%
富岡	5.3%	100.0%	0.2%	4.5%	0.0%	0.6%	94.7%	0.0%	0.0%	0.0%	0.0%	0.0%
吾妻	25.6%	100.0%	4.7%	2.4%	11.1%	0.0%	0.0%	74.4%	6.1%	1.3%	0.0%	0.0%
沼田	3.7%	100.0%	1.2%	0.8%	1.2%	0.0%	0.0%	0.5%	96.3%	0.0%	0.0%	0.0%
伊勢崎	9.0%	100.0%	3.5%	1.9%	0.1%	0.6%	0.0%	0.0%	0.1%	91.0%	1.4%	1.4%
桐生	5.6%	100.0%	1.8%	0.3%	0.1%	0.0%	0.0%	0.0%	0.1%	1.4%	94.4%	1.9%
太田・館林	5.0%	100.0%	0.3%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	2.6%	1.8%	95.0%

第44表 患者流入率(呼吸器系の疾患)

受療地 住所地	流入率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			流入率			18.4%	9.8%	12.6%	26.4%	13.9%	7.9%	6.9%
総数			100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
前橋			81.6%	3.3%	2.8%	0.2%	0.0%	1.3%	0.5%	2.6%	1.6%	0.1%
高崎・安中			5.9%	90.2%	3.1%	10.0%	11.3%	0.0%	0.3%	2.1%	0.2%	0.1%
渋川			5.9%	1.1%	87.4%	0.0%	0.2%	2.1%	0.9%	0.1%	0.0%	0.0%
藤岡			0.3%	1.8%	0.5%	73.6%	0.7%	0.0%	0.0%	0.9%	0.1%	0.0%
富岡			0.0%	0.8%	0.0%	0.5%	86.1%	0.0%	0.0%	0.0%	0.0%	0.0%
吾妻			0.6%	0.2%	3.9%	0.0%	0.0%	92.1%	2.7%	0.2%	0.0%	0.0%
沼田			0.3%	0.2%	1.0%	0.0%	0.0%	1.3%	93.1%	0.0%	0.0%	0.0%
伊勢崎			2.7%	1.2%	0.2%	1.7%	0.0%	0.0%	0.2%	88.1%	2.2%	1.1%
桐生			0.9%	0.1%	0.1%	0.0%	0.0%	0.0%	0.2%	0.9%	90.6%	0.9%
太田・館林			0.3%	0.1%	0.2%	0.0%	0.0%	0.0%	0.0%	3.3%	3.6%	93.8%
県外			1.1%	1.0%	0.6%	14.0%	1.5%	3.3%	2.0%	1.9%	1.7%	4.0%
不詳			0.2%	0.1%	0.1%	0.2%	0.2%	0.0%	0.3%	0.0%	0.1%	0.0%

XI 消化器系の疾患

疾病分類	区分	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
消化器系の疾患	流出率	8.9%	9.0%	21.1%	23.2%	10.7%	14.7%	4.6%	11.1%	5.9%	4.0%
	流入率	17.3%	11.5%	10.3%	25.2%	11.3%	3.5%	4.0%	14.3%	7.6%	8.3%

第45表 患者流出率(消化器系の疾患)

受療地 住所地	流出率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			前橋	8.9%	100.0%	91.1%	3.2%	1.0%	0.1%	0.0%	0.0%	0.1%
高崎・安中	9.0%	100.0%	4.9%	91.0%	0.5%	0.8%	1.6%	0.1%	0.0%	1.0%	0.0%	0.1%
渋川	21.1%	100.0%	11.1%	8.2%	78.9%	0.0%	0.1%	0.2%	1.2%	0.3%	0.1%	0.0%
藤岡	23.2%	100.0%	1.9%	16.8%	0.2%	76.8%	1.6%	0.0%	0.0%	2.6%	0.2%	0.0%
富岡	10.7%	100.0%	1.5%	8.8%	0.0%	0.4%	89.3%	0.0%	0.0%	0.0%	0.0%	0.0%
吾妻	14.7%	100.0%	4.2%	3.1%	4.8%	0.2%	0.0%	85.3%	2.1%	0.2%	0.0%	0.0%
沼田	4.6%	100.0%	2.3%	1.0%	0.9%	0.0%	0.0%	0.0%	95.4%	0.1%	0.1%	0.2%
伊勢崎	11.1%	100.0%	4.6%	2.4%	0.2%	0.2%	0.0%	0.0%	0.0%	88.9%	1.3%	2.3%
桐生	5.9%	100.0%	1.6%	0.3%	0.0%	0.0%	0.1%	0.0%	0.0%	1.6%	94.1%	2.2%
太田・館林	4.0%	100.0%	0.4%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	1.9%	1.5%	96.0%

第46表 患者流入率(消化器系の疾患)

受療地 住所地	流入率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			流入率			17.3%	11.5%	10.3%	25.2%	11.3%	3.5%	4.0%
総数			100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
前橋			82.7%	2.3%	3.4%	0.6%	0.1%	0.2%	0.3%	4.6%	1.7%	0.1%
高崎・安中			6.1%	88.5%	2.4%	6.4%	9.5%	0.9%	0.1%	1.9%	0.0%	0.1%
渋川			3.4%	1.9%	89.7%	0.0%	0.1%	0.4%	1.6%	0.1%	0.0%	0.0%
藤岡			0.3%	2.1%	0.1%	74.8%	1.2%	0.0%	0.0%	0.6%	0.0%	0.0%
富岡			0.3%	1.5%	0.0%	0.5%	88.7%	0.0%	0.0%	0.0%	0.0%	0.0%
吾妻			0.6%	0.3%	2.4%	0.2%	0.0%	96.5%	1.2%	0.0%	0.0%	0.0%
沼田			0.5%	0.2%	0.8%	0.0%	0.0%	0.0%	96.0%	0.0%	0.0%	0.0%
伊勢崎			3.0%	1.2%	0.5%	0.9%	0.0%	0.0%	0.0%	85.7%	1.4%	1.4%
桐生			0.9%	0.1%	0.1%	0.0%	0.2%	0.0%	0.0%	1.3%	92.4%	1.2%
太田・館林			0.4%	0.1%	0.1%	0.3%	0.0%	0.0%	0.0%	2.8%	2.7%	91.7%
県外			1.1%	1.6%	0.4%	16.0%	0.1%	1.3%	0.7%	2.6%	1.7%	4.9%
不詳			0.8%	0.2%	0.2%	0.2%	0.0%	0.7%	0.0%	0.3%	0.0%	0.6%

XII 皮膚及び皮下組織の疾患

疾病分類	区分	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
皮膚及び皮下組織の疾患	流出率	11.3%	10.3%	25.5%	24.8%	21.7%	23.0%	15.8%	12.8%	11.9%	5.5%
	流入率	21.2%	14.5%	17.3%	38.2%	17.2%	8.2%	8.0%	20.6%	15.5%	7.8%

第47表 患者流出率(皮膚及び皮下組織の疾患)

受療地 住所地	流出率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			前橋	11.3%	100.0%	88.7%	4.6%	1.1%	0.3%	0.0%	0.0%	0.2%
高崎・安中	10.3%	100.0%	4.1%	89.7%	0.8%	1.0%	2.6%	0.0%	0.1%	1.5%	0.1%	0.0%
渋川	25.5%	100.0%	17.1%	6.2%	74.5%	0.0%	0.4%	0.4%	0.7%	0.4%	0.0%	0.4%
藤岡	24.8%	100.0%	1.0%	14.9%	1.0%	75.2%	1.0%	0.0%	0.0%	6.9%	0.0%	0.0%
富岡	21.7%	100.0%	2.4%	16.9%	0.0%	1.8%	78.3%	0.0%	0.0%	0.0%	0.6%	0.0%
吾妻	23.0%	100.0%	1.1%	4.6%	14.9%	0.0%	0.0%	77.0%	2.3%	0.0%	0.0%	0.0%
沼田	15.8%	100.0%	5.3%	3.2%	5.3%	0.0%	0.0%	1.1%	84.2%	1.1%	0.0%	0.0%
伊勢崎	12.8%	100.0%	5.4%	4.0%	0.7%	0.0%	0.2%	0.0%	0.2%	87.2%	1.3%	0.9%
桐生	11.9%	100.0%	3.0%	1.3%	1.0%	0.0%	0.0%	0.0%	0.0%	4.6%	88.1%	2.0%
太田・館林	5.5%	100.0%	0.6%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	2.0%	2.9%	94.5%

第48表 患者流入率(皮膚及び皮下組織の疾患)

受療地 住所地	流入率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			流入率			21.2%	14.5%	17.3%	38.2%	17.2%	8.2%	8.0%
総数			100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
前橋			78.8%	3.0%	2.8%	1.6%	0.0%	0.0%	1.1%	6.1%	0.6%	0.0%
高崎・安中			5.4%	85.5%	2.8%	7.3%	15.3%	0.0%	1.1%	2.9%	0.3%	0.0%
渋川			6.6%	1.8%	82.7%	0.0%	0.6%	1.4%	2.3%	0.2%	0.0%	0.1%
藤岡			0.1%	1.6%	0.4%	61.8%	0.6%	0.0%	0.0%	1.4%	0.0%	0.0%
富岡			0.6%	2.9%	0.0%	2.4%	82.8%	0.0%	0.0%	0.0%	0.3%	0.0%
吾妻			0.1%	0.4%	5.2%	0.0%	0.0%	91.8%	2.3%	0.0%	0.0%	0.0%
沼田			0.7%	0.3%	2.0%	0.0%	0.0%	1.4%	92.0%	0.2%	0.0%	0.0%
伊勢崎			3.4%	1.9%	1.2%	0.0%	0.6%	0.0%	1.1%	79.4%	1.9%	0.4%
桐生			1.3%	0.4%	1.2%	0.0%	0.0%	0.0%	0.0%	2.9%	84.5%	0.6%
太田・館林			0.7%	0.0%	0.4%	0.0%	0.0%	0.0%	0.0%	3.7%	8.2%	92.2%
県外			2.1%	2.3%	1.2%	26.8%	0.0%	5.5%	0.0%	3.3%	4.1%	6.6%
不詳			0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

XⅢ 筋骨格系及び結合組織の疾患

疾病分類	区分	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
筋骨格系及び結合組織の疾患	流出率	8.8%	14.1%	31.1%	26.5%	15.0%	25.1%	7.8%	17.7%	14.0%	6.0%
	流入率	23.4%	17.3%	13.9%	29.7%	19.8%	16.6%	6.5%	17.9%	8.4%	17.4%

第49表 患者流出率(筋骨格系及び結合組織の疾患)

受療地 住所地	流出率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			前橋	8.8%	100.0%	91.2%	3.2%	1.0%	0.0%	0.1%	0.2%	0.0%
高崎・安中	14.1%	100.0%	7.0%	85.9%	0.7%	2.3%	2.6%	0.5%	0.0%	0.9%	0.0%	0.1%
渋川	31.1%	100.0%	20.7%	7.6%	68.9%	0.0%	0.0%	1.6%	0.4%	0.6%	0.0%	0.2%
藤岡	26.5%	100.0%	1.9%	19.8%	0.0%	73.5%	2.9%	0.0%	0.0%	1.6%	0.0%	0.3%
富岡	15.0%	100.0%	1.9%	12.3%	0.0%	0.3%	85.0%	0.0%	0.3%	0.3%	0.0%	0.0%
吾妻	25.1%	100.0%	9.8%	5.5%	4.7%	0.0%	0.0%	74.9%	3.3%	0.7%	1.1%	0.0%
沼田	7.8%	100.0%	3.5%	3.0%	0.9%	0.0%	0.0%	0.3%	92.2%	0.2%	0.0%	0.0%
伊勢崎	17.7%	100.0%	9.5%	5.4%	0.0%	0.4%	0.0%	0.1%	0.0%	82.3%	1.0%	1.3%
桐生	14.0%	100.0%	5.4%	0.5%	0.1%	0.0%	0.0%	0.1%	0.0%	5.1%	86.0%	2.8%
太田・館林	6.0%	100.0%	1.1%	0.3%	0.0%	0.0%	0.0%	0.1%	0.0%	2.9%	1.5%	94.0%

第50表 患者流入率(筋骨格系及び結合組織の疾患)

受療地 住所地	流入率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			流入率			23.4%	17.3%	13.9%	29.7%	19.8%	16.6%	6.5%
総数			100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
前橋			76.6%	2.9%	5.0%	0.0%	0.5%	2.0%	0.2%	3.6%	2.8%	0.2%
高崎・安中			6.2%	82.7%	3.7%	15.3%	14.4%	4.0%	0.2%	1.4%	0.1%	0.1%
渋川			4.2%	1.7%	86.1%	0.0%	0.0%	3.2%	0.4%	0.2%	0.0%	0.0%
藤岡			0.2%	2.7%	0.0%	70.3%	2.3%	0.0%	0.0%	0.4%	0.0%	0.0%
富岡			0.3%	2.0%	0.0%	0.3%	80.2%	0.0%	0.2%	0.1%	0.0%	0.0%
吾妻			1.1%	0.7%	3.2%	0.0%	0.0%	83.4%	1.6%	0.1%	0.2%	0.0%
沼田			0.8%	0.7%	1.2%	0.0%	0.0%	0.8%	93.5%	0.1%	0.0%	0.0%
伊勢崎			5.3%	3.3%	0.0%	1.8%	0.0%	0.8%	0.0%	82.1%	1.1%	0.8%
桐生			2.9%	0.3%	0.2%	0.0%	0.0%	0.4%	0.0%	4.9%	91.6%	1.6%
太田・館林			0.9%	0.3%	0.2%	0.0%	0.0%	0.8%	0.0%	4.2%	2.4%	82.6%
県外			1.5%	2.6%	0.0%	11.9%	2.6%	4.5%	4.0%	2.9%	1.7%	14.6%
不詳			0.0%	0.1%	0.2%	0.3%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%

XIV 腎尿路生殖器系の疾患

疾病分類	区分	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
腎尿路生殖器系の疾患	流出率	15.0%	17.4%	36.3%	22.2%	22.9%	33.6%	7.8%	29.1%	25.5%	12.9%
	流入率	30.4%	28.8%	15.4%	37.5%	31.1%	5.7%	13.4%	32.0%	15.1%	11.5%

第51表 患者流出率(腎尿路生殖器系の疾患)

受療地 住所地	流出率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			前橋	15.0%	100.0%	85.0%	10.4%	1.0%	0.0%	0.0%	0.0%	0.1%
高崎・安中	17.4%	100.0%	8.2%	82.6%	0.7%	2.0%	5.1%	0.0%	0.6%	0.8%	0.0%	0.0%
渋川	36.3%	100.0%	20.5%	14.0%	63.7%	0.0%	0.0%	0.3%	1.2%	0.3%	0.0%	0.0%
藤岡	22.2%	100.0%	1.7%	18.9%	0.0%	77.8%	0.0%	0.0%	0.0%	1.7%	0.0%	0.0%
富岡	22.9%	100.0%	2.9%	18.3%	0.0%	1.1%	77.1%	0.0%	0.6%	0.0%	0.0%	0.0%
吾妻	33.6%	100.0%	7.2%	6.4%	12.8%	0.0%	0.0%	66.4%	7.2%	0.0%	0.0%	0.0%
沼田	7.8%	100.0%	3.9%	3.4%	0.5%	0.0%	0.0%	0.0%	92.2%	0.0%	0.0%	0.0%
伊勢崎	29.1%	100.0%	11.8%	11.4%	0.2%	0.4%	0.0%	0.0%	0.0%	70.9%	3.0%	2.4%
桐生	25.5%	100.0%	8.5%	2.5%	0.0%	0.0%	0.0%	0.0%	0.4%	12.4%	74.5%	1.7%
太田・館林	12.9%	100.0%	2.7%	1.9%	0.0%	0.0%	0.0%	0.0%	0.0%	4.8%	3.4%	87.1%

第52表 患者流入率(腎尿路生殖器系の疾患)

受療地 住所地	流入率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			流入率			30.4%	28.8%	15.4%	37.5%	31.1%	5.7%	13.4%
総数			100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
前橋			69.6%	6.8%	3.6%	0.0%	0.0%	0.0%	0.5%	4.8%	1.2%	0.0%
高崎・安中			8.8%	71.2%	3.2%	10.3%	30.1%	0.0%	3.2%	1.7%	0.0%	0.0%
渋川			6.5%	3.5%	84.6%	0.0%	0.0%	1.1%	1.8%	0.2%	0.0%	0.0%
藤岡			0.3%	2.6%	0.0%	62.5%	0.0%	0.0%	0.0%	0.6%	0.0%	0.0%
富岡			0.5%	2.4%	0.0%	0.9%	68.9%	0.0%	0.5%	0.0%	0.0%	0.0%
吾妻			0.8%	0.6%	6.3%	0.0%	0.0%	94.3%	4.1%	0.0%	0.0%	0.0%
沼田			0.7%	0.5%	0.4%	0.0%	0.0%	0.0%	86.6%	0.0%	0.0%	0.0%
伊勢崎			5.5%	4.3%	0.4%	0.9%	0.0%	0.0%	0.0%	68.0%	3.5%	1.7%
桐生			3.8%	0.9%	0.0%	0.0%	0.0%	0.0%	0.9%	11.5%	84.9%	1.1%
太田・館林			1.9%	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	6.7%	5.9%	88.5%
県外			1.6%	5.7%	1.6%	25.4%	1.0%	4.5%	2.3%	6.3%	4.2%	8.5%
不詳			0.0%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.2%	0.1%

XV 妊娠、分娩及び産じょく

※「単胎自然分娩」を除く。

疾病分類	区分	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
妊娠、分娩及び産じょく	流出率	24.2%	43.8%	47.6%	54.5%	11.1%	60.0%	23.1%	33.9%	10.7%	21.1%
	流入率	52.0%	47.1%	60.7%	64.3%	50.0%	0.0%	9.1%	25.0%	26.5%	16.7%

第53表 患者流出率(妊娠、分娩及び産じょく)

受療地 住所地	流出率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			前橋	24.2%	100.0%	75.8%	11.3%	4.8%	0.0%	0.0%	0.0%	0.0%
高崎・安中	43.8%	100.0%	21.9%	56.3%	7.8%	3.1%	6.3%	0.0%	0.0%	1.6%	1.6%	1.6%
渋川	47.6%	100.0%	47.6%	0.0%	52.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
藤岡	54.5%	100.0%	18.2%	27.3%	0.0%	45.5%	9.1%	0.0%	0.0%	0.0%	0.0%	0.0%
富岡	11.1%	100.0%	0.0%	0.0%	11.1%	0.0%	88.9%	0.0%	0.0%	0.0%	0.0%	0.0%
吾妻	60.0%	100.0%	20.0%	0.0%	40.0%	0.0%	0.0%	40.0%	0.0%	0.0%	0.0%	0.0%
沼田	23.1%	100.0%	15.4%	0.0%	7.7%	0.0%	0.0%	0.0%	76.9%	0.0%	0.0%	0.0%
伊勢崎	33.9%	100.0%	15.3%	10.2%	3.4%	0.0%	0.0%	0.0%	0.0%	66.1%	5.1%	0.0%
桐生	10.7%	100.0%	7.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	89.3%	3.6%
太田・館林	21.1%	100.0%	2.6%	2.6%	0.0%	0.0%	0.0%	0.0%	0.0%	7.9%	7.9%	78.9%

第54表 患者流入率(妊娠、分娩及び産じょく)

受療地 住所地	流入率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			流入率			52.0%	47.1%	60.7%	64.3%	50.0%	0.0%	9.1%
総数			100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
前橋			48.0%	10.3%	10.7%	0.0%	0.0%	0.0%	0.0%	9.6%	0.0%	0.0%
高崎・安中			14.3%	52.9%	17.9%	14.3%	25.0%	0.0%	0.0%	1.9%	2.9%	2.8%
渋川			10.2%	0.0%	39.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
藤岡			2.0%	4.4%	0.0%	35.7%	6.3%	0.0%	0.0%	0.0%	0.0%	0.0%
富岡			0.0%	0.0%	3.6%	0.0%	50.0%	0.0%	0.0%	0.0%	0.0%	0.0%
吾妻			1.0%	0.0%	7.1%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%
沼田			2.0%	0.0%	3.6%	0.0%	0.0%	0.0%	90.9%	0.0%	0.0%	0.0%
伊勢崎			9.2%	8.8%	7.1%	0.0%	0.0%	0.0%	0.0%	75.0%	8.8%	0.0%
桐生			2.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	73.5%	2.8%
太田・館林			1.0%	1.5%	0.0%	0.0%	0.0%	0.0%	0.0%	5.8%	8.8%	83.3%
県外			10.2%	19.1%	10.7%	50.0%	18.8%	0.0%	9.1%	7.7%	5.9%	8.3%
不詳			0.0%	2.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.8%

XVI 周産期に発生した病態

疾病分類	区分	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
周産期に発生した病態	流出率	25.0%	64.3%	46.2%	66.7%	0.0%	100.0%	50.0%	88.2%	16.7%	35.3%
	流入率	68.8%	21.1%	82.9%	75.0%	71.4%	0.0%	0.0%	33.3%	66.7%	8.3%

第55表 患者流出率(周産期に発生した病態)

受療地 住所地	流出率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			前橋	25.0%	100.0%	75.0%	0.0%	25.0%	0.0%	0.0%	0.0%	0.0%
高崎・安中	64.3%	100.0%	26.2%	35.7%	28.6%	4.8%	2.4%	0.0%	0.0%	0.0%	2.4%	0.0%
渋川	46.2%	100.0%	38.5%	7.7%	53.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
藤岡	66.7%	100.0%	0.0%	0.0%	33.3%	33.3%	0.0%	0.0%	0.0%	0.0%	33.3%	0.0%
富岡	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%
吾妻	100.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
沼田	50.0%	100.0%	16.7%	0.0%	33.3%	0.0%	0.0%	0.0%	50.0%	0.0%	0.0%	0.0%
伊勢崎	88.2%	100.0%	17.6%	5.9%	47.1%	0.0%	0.0%	0.0%	0.0%	11.8%	17.6%	0.0%
桐生	16.7%	100.0%	16.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	83.3%	0.0%
太田・館林	35.3%	100.0%	17.6%	0.0%	5.9%	0.0%	0.0%	0.0%	0.0%	5.9%	5.9%	64.7%

第56表 患者流入率(周産期に発生した病態)

受療地 住所地	流入率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			流入率			68.8%	21.1%	82.9%	75.0%	71.4%	0.0%	0.0%
総数			100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
前橋			31.3%	0.0%	12.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
高崎・安中			22.9%	78.9%	29.3%	50.0%	14.3%	0.0%	0.0%	0.0%	6.7%	0.0%
渋川			10.4%	5.3%	17.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
藤岡			0.0%	0.0%	2.4%	25.0%	0.0%	0.0%	0.0%	0.0%	6.7%	0.0%
富岡			0.0%	0.0%	0.0%	0.0%	28.6%	0.0%	0.0%	0.0%	0.0%	0.0%
吾妻			0.0%	0.0%	2.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
沼田			2.1%	0.0%	4.9%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%
伊勢崎			6.3%	5.3%	19.5%	0.0%	0.0%	0.0%	0.0%	66.7%	20.0%	0.0%
桐生			2.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	33.3%	0.0%
太田・館林			6.3%	0.0%	2.4%	0.0%	0.0%	0.0%	0.0%	33.3%	6.7%	91.7%
県外			18.8%	10.5%	9.8%	25.0%	57.1%	0.0%	0.0%	0.0%	20.0%	8.3%
不詳			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	6.7%	0.0%

XVII 先天奇形、変形及び染色体異常

疾病分類	区分	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
先天奇形、変形及び染色体異常	流出率	87.5%	54.8%	83.3%	50.0%	33.3%	83.3%	66.7%	71.4%	21.4%	40.0%
	流入率	88.5%	48.1%	96.3%	37.5%	25.0%	50.0%	0.0%	53.8%	33.3%	16.0%

第57表 患者流出率(先天奇形, 変形及び染色体異常)

受療地 住所地	流出率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			前橋	87.5%	100.0%	12.5%	41.7%	41.7%	0.0%	0.0%	0.0%	0.0%
高崎・安中	54.8%	100.0%	17.7%	45.2%	33.9%	1.6%	1.6%	0.0%	0.0%	0.0%	0.0%	0.0%
渋川	83.3%	100.0%	41.7%	33.3%	16.7%	0.0%	0.0%	0.0%	0.0%	0.0%	8.3%	0.0%
藤岡	50.0%	100.0%	10.0%	0.0%	30.0%	50.0%	0.0%	0.0%	0.0%	10.0%	0.0%	0.0%
富岡	33.3%	100.0%	0.0%	22.2%	11.1%	0.0%	66.7%	0.0%	0.0%	0.0%	0.0%	0.0%
吾妻	83.3%	100.0%	0.0%	66.7%	16.7%	0.0%	0.0%	16.7%	0.0%	0.0%	0.0%	0.0%
沼田	66.7%	100.0%	0.0%	0.0%	33.3%	0.0%	0.0%	33.3%	33.3%	0.0%	0.0%	0.0%
伊勢崎	71.4%	100.0%	9.5%	4.8%	28.6%	0.0%	0.0%	0.0%	0.0%	28.6%	19.0%	9.5%
桐生	21.4%	100.0%	10.7%	0.0%	7.1%	0.0%	0.0%	0.0%	0.0%	0.0%	78.6%	3.6%
太田・館林	40.0%	100.0%	0.0%	0.0%	14.3%	0.0%	0.0%	0.0%	0.0%	14.3%	11.4%	60.0%

第58表 患者流入率(先天奇形, 変形及び染色体異常)

受療地 住所地	流入率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			流入率			88.5%	48.1%	96.3%	37.5%	25.0%	50.0%	0.0%
総数			100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
前橋			11.5%	18.5%	18.5%	0.0%	0.0%	0.0%	0.0%	0.0%	3.0%	0.0%
高崎・安中			42.3%	51.9%	38.9%	12.5%	12.5%	0.0%	0.0%	0.0%	0.0%	0.0%
渋川			19.2%	7.4%	3.7%	0.0%	0.0%	0.0%	0.0%	0.0%	3.0%	0.0%
藤岡			3.8%	0.0%	5.6%	62.5%	0.0%	0.0%	0.0%	7.7%	0.0%	0.0%
富岡			0.0%	3.7%	1.9%	0.0%	75.0%	0.0%	0.0%	0.0%	0.0%	0.0%
吾妻			0.0%	7.4%	1.9%	0.0%	0.0%	50.0%	0.0%	0.0%	0.0%	0.0%
沼田			0.0%	0.0%	1.9%	0.0%	0.0%	50.0%	100.0%	0.0%	0.0%	0.0%
伊勢崎			7.7%	1.9%	11.1%	0.0%	0.0%	0.0%	0.0%	46.2%	12.1%	8.0%
桐生			11.5%	0.0%	3.7%	0.0%	0.0%	0.0%	0.0%	0.0%	66.7%	4.0%
太田・館林			0.0%	0.0%	9.3%	0.0%	0.0%	0.0%	0.0%	38.5%	12.1%	84.0%
県外			3.8%	9.3%	3.7%	25.0%	12.5%	0.0%	0.0%	7.7%	3.0%	4.0%
不詳			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

XVIII 症状、徴候及び異常臨床所見・異常検査所見で他に分類されないもの

疾病分類	区分	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
症状、徴候及び異常臨床所見・異常検査所見で他に分類されないもの	流出率	11.4%	13.2%	27.9%	20.5%	4.5%	27.8%	9.5%	12.4%	9.2%	10.1%
	流入率	25.5%	12.9%	15.4%	38.6%	16.0%	7.1%	15.6%	12.4%	15.1%	11.8%

第59表 患者流出率(症状、徴候及び異常臨床所見・異常検査所見で他に分類されないもの)

受療地 住所地	流出率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			前橋	11.4%	100.0%	88.6%	7.0%	2.2%	0.0%	0.0%	0.5%	0.0%
高崎・安中	13.2%	100.0%	5.9%	86.8%	0.4%	2.6%	2.6%	0.0%	0.0%	1.5%	0.0%	0.4%
渋川	27.9%	100.0%	14.8%	6.6%	72.1%	0.0%	0.0%	1.6%	1.6%	1.6%	1.6%	0.0%
藤岡	20.5%	100.0%	2.3%	11.4%	2.3%	79.5%	2.3%	0.0%	0.0%	0.0%	0.0%	2.3%
富岡	4.5%	100.0%	0.0%	4.5%	0.0%	0.0%	95.5%	0.0%	0.0%	0.0%	0.0%	0.0%
吾妻	27.8%	100.0%	11.1%	2.8%	2.8%	0.0%	0.0%	72.2%	11.1%	0.0%	0.0%	0.0%
沼田	9.5%	100.0%	7.1%	2.4%	0.0%	0.0%	0.0%	0.0%	90.5%	0.0%	0.0%	0.0%
伊勢崎	12.4%	100.0%	6.9%	0.7%	0.7%	0.0%	0.0%	0.0%	0.0%	87.6%	1.4%	2.8%
桐生	9.2%	100.0%	5.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.1%	90.8%	2.3%
太田・館林	10.1%	100.0%	1.9%	1.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3.9%	3.4%	89.9%

第60表 患者流入率(症状、徴候及び異常臨床所見・異常検査所見で他に分類されないもの)

受療地 住所地	流入率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			流入率			25.5%	12.9%	15.4%	38.6%	16.0%	7.1%	15.6%
総数			100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
前橋			74.5%	4.8%	7.7%	0.0%	0.0%	3.6%	0.0%	1.4%	0.0%	0.5%
高崎・安中			7.3%	87.1%	1.9%	12.3%	14.0%	0.0%	0.0%	2.8%	0.0%	0.5%
渋川			4.1%	1.5%	84.6%	0.0%	0.0%	3.6%	2.2%	0.7%	1.1%	0.0%
藤岡			0.5%	1.8%	1.9%	61.4%	2.0%	0.0%	0.0%	0.0%	0.0%	0.5%
富岡			0.0%	0.7%	0.0%	0.0%	84.0%	0.0%	0.0%	0.0%	0.0%	0.0%
吾妻			1.8%	0.4%	1.9%	0.0%	0.0%	92.9%	8.9%	0.0%	0.0%	0.0%
沼田			1.4%	0.4%	0.0%	0.0%	0.0%	0.0%	84.4%	0.0%	0.0%	0.0%
伊勢崎			4.5%	0.4%	1.9%	0.0%	0.0%	0.0%	0.0%	87.6%	2.2%	1.9%
桐生			2.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.7%	84.9%	0.9%
太田・館林			1.8%	0.7%	0.0%	0.0%	0.0%	0.0%	0.0%	5.5%	7.5%	88.2%
県外			1.8%	2.2%	0.0%	26.3%	0.0%	0.0%	4.4%	1.4%	3.2%	7.6%
不詳			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.1%	0.0%

XIX 損傷、中毒及びその他の外因の影響

疾病分類	区分	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
損傷、中毒及びその他の外因の影響	流出率	11.6%	16.1%	35.2%	23.9%	16.2%	16.7%	13.8%	20.2%	21.6%	9.3%
	流入率	26.7%	16.9%	12.6%	30.4%	20.1%	31.2%	7.6%	23.3%	13.9%	16.9%

第61表 患者流出率(損傷、中毒及びその他の外因の影響)

受療地 住所地	流出率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			前橋	11.6%	100.0%	88.4%	4.7%	1.5%	0.1%	0.0%	0.5%	0.1%
高崎・安中	16.1%	100.0%	7.4%	83.9%	0.6%	2.2%	3.0%	0.6%	0.1%	1.7%	0.2%	0.3%
渋川	35.2%	100.0%	23.3%	7.0%	64.8%	0.2%	0.4%	2.5%	0.8%	0.8%	0.0%	0.0%
藤岡	23.9%	100.0%	3.8%	15.5%	0.0%	76.1%	2.7%	0.4%	0.0%	1.1%	0.0%	0.4%
富岡	16.2%	100.0%	4.6%	9.6%	0.4%	0.4%	83.8%	0.0%	0.4%	0.8%	0.0%	0.0%
吾妻	16.7%	100.0%	6.7%	2.8%	2.8%	0.0%	0.0%	83.3%	3.3%	0.6%	0.0%	0.6%
沼田	13.8%	100.0%	6.7%	0.6%	1.3%	0.0%	0.0%	4.5%	86.2%	0.6%	0.0%	0.0%
伊勢崎	20.2%	100.0%	10.3%	4.4%	0.1%	0.4%	0.0%	0.3%	0.0%	79.8%	1.9%	2.7%
桐生	21.6%	100.0%	4.7%	0.2%	0.0%	0.0%	0.0%	0.3%	0.2%	10.6%	78.4%	5.7%
太田・館林	9.3%	100.0%	2.1%	0.1%	0.0%	0.0%	0.0%	0.3%	0.1%	3.8%	2.9%	90.7%

第62表 患者流入率(損傷、中毒及びその他の外因の影響)

受療地 住所地	流入率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			流入率			26.7%	16.9%	12.6%	30.4%	20.1%	31.2%	7.6%
総数			100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
前橋			73.3%	4.5%	6.0%	0.7%	0.0%	3.2%	0.3%	5.1%	2.3%	0.3%
高崎・安中			6.3%	83.1%	2.3%	11.1%	15.8%	3.7%	0.7%	2.7%	0.5%	0.3%
渋川			6.6%	2.3%	87.4%	0.3%	0.7%	5.5%	1.4%	0.4%	0.0%	0.0%
藤岡			0.6%	2.8%	0.0%	69.6%	2.6%	0.5%	0.0%	0.3%	0.0%	0.1%
富岡			0.7%	1.7%	0.3%	0.3%	79.9%	0.0%	0.3%	0.2%	0.0%	0.0%
吾妻			0.7%	0.3%	1.4%	0.0%	0.0%	68.8%	2.1%	0.1%	0.0%	0.1%
沼田			1.3%	0.1%	1.1%	0.0%	0.0%	6.4%	92.4%	0.2%	0.0%	0.0%
伊勢崎			5.5%	2.7%	0.3%	1.4%	0.0%	1.4%	0.0%	76.7%	2.9%	2.0%
桐生			1.8%	0.1%	0.0%	0.0%	0.0%	0.9%	0.3%	7.2%	86.1%	3.0%
太田・館林			1.4%	0.1%	0.0%	0.0%	0.0%	1.4%	0.3%	4.5%	5.5%	83.1%
県外			1.8%	2.2%	0.6%	16.6%	1.1%	8.3%	2.1%	2.3%	2.6%	11.0%
不詳			0.1%	0.1%	0.6%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.1%

XXI 健康状態に影響を及ぼす要因及び保健サービスの利用

疾病分類	区分	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
健康状態に影響を及ぼす要因及び保健サービスの利用	流出率	9.8%	8.1%	21.5%	15.7%	17.8%	19.1%	2.2%	12.2%	8.9%	5.6%
	流入率	17.7%	15.4%	9.4%	20.9%	14.3%	7.1%	4.3%	11.4%	9.9%	7.4%

第63表 患者流出率(健康状態に影響を及ぼす要因及び保健サービスの利用)

受療地 住所地	流出率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			前橋	9.8%	100.0%	90.2%	5.3%	0.9%	0.2%	0.3%	0.0%	0.1%
高崎・安中	8.1%	100.0%	4.9%	91.9%	0.1%	1.1%	1.2%	0.1%	0.0%	0.6%	0.0%	0.1%
渋川	21.5%	100.0%	15.0%	4.9%	78.5%	0.0%	0.2%	0.2%	1.3%	0.0%	0.0%	0.0%
藤岡	15.7%	100.0%	1.2%	12.3%	0.0%	84.3%	0.5%	0.0%	0.0%	1.7%	0.0%	0.0%
富岡	17.8%	100.0%	1.9%	14.3%	0.0%	1.2%	82.2%	0.0%	0.0%	0.3%	0.0%	0.0%
吾妻	19.1%	100.0%	3.9%	2.2%	7.9%	0.0%	0.0%	80.9%	3.9%	1.1%	0.0%	0.0%
沼田	2.2%	100.0%	0.4%	1.0%	0.4%	0.4%	0.0%	0.0%	97.8%	0.0%	0.0%	0.0%
伊勢崎	12.2%	100.0%	5.2%	3.3%	0.1%	0.7%	0.0%	0.0%	0.0%	87.8%	1.1%	1.8%
桐生	8.9%	100.0%	2.1%	1.2%	0.0%	0.1%	0.0%	0.0%	0.0%	1.8%	91.1%	3.7%
太田・館林	5.6%	100.0%	0.5%	0.3%	0.0%	0.1%	0.1%	0.0%	0.0%	2.4%	2.3%	94.4%

第64表 患者流入率(健康状態に影響を及ぼす要因及び保健サービスの利用)

受療地 住所地	流入率	総数	前橋	高崎・安中	渋川	藤岡	富岡	吾妻	沼田	伊勢崎	桐生	太田・館林
			流入率			17.7%	15.4%	9.4%	20.9%	14.3%	7.1%	4.3%
総数			100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
前橋			82.3%	3.9%	3.5%	0.7%	1.9%	0.0%	0.4%	2.3%	2.0%	0.3%
高崎・安中			5.6%	84.6%	0.6%	6.1%	9.1%	1.9%	0.2%	1.0%	0.1%	0.1%
渋川			3.9%	1.0%	90.6%	0.0%	0.3%	0.6%	1.4%	0.0%	0.0%	0.0%
藤岡			0.2%	1.9%	0.0%	79.1%	0.6%	0.0%	0.0%	0.5%	0.0%	0.0%
富岡			0.3%	1.7%	0.0%	0.9%	85.7%	0.0%	0.0%	0.1%	0.0%	0.0%
吾妻			0.3%	0.2%	2.9%	0.0%	0.0%	92.9%	1.4%	0.1%	0.0%	0.0%
沼田			0.1%	0.2%	0.4%	0.5%	0.0%	0.0%	95.7%	0.0%	0.0%	0.0%
伊勢崎			3.5%	1.8%	0.2%	2.3%	0.0%	0.0%	0.0%	88.6%	1.6%	1.3%
桐生			1.0%	0.5%	0.0%	0.2%	0.0%	0.0%	0.0%	1.3%	90.1%	1.9%
太田・館林			0.4%	0.2%	0.0%	0.2%	0.3%	0.0%	0.0%	3.2%	4.3%	92.6%
県外			1.7%	3.2%	1.7%	9.8%	1.9%	3.9%	0.8%	2.9%	2.0%	3.6%
不詳			0.7%	0.7%	0.0%	0.2%	0.0%	0.6%	0.2%	0.1%	0.0%	0.2%